Photovoltaic Fuse
光伏熔断器

GYPV–10PV GYPV-1038
1A–32A 1000V DC

光伏熔断器
Photovoltaic Fuse

- 尺码/Fuse Size: 10 X 38mm；
- 使用类别 /Class of Operation: gPV
- 标准/Standard: UL248–19 IEC 60269–6
- 分断能力/Breaking Capacity: 20kA
- 时间常数/Time Constant:1–3ms

尺寸/Dimensions–mm



GYPV –10PV

GYPV–32L GYPV1085 2–32A 1500V DC
GYPV–63L GYPV1485 30–50A 1500V DC

光伏熔断器
Photovoltaic Fuse

- 尺码/Fuse Size: 10X85mm /14x85mm
- 使用类别 /Class of Operation: gPV
- 标准/Standard: UL248–19 IEC 60269–6
- 分断能力/Breaking Capacity: 50kA
- 时间常数/Time Constant:1–3ms

尺寸/Dimensions–mm



GYPV1085



GYPV1485

GYPV–32 32A 1000V DC (10X38)

光伏熔断器
Photovoltaic Fuse

- 额定电压/ Rated Voltage : 1000V DC
- 使用类别 /Class of Operation: gPV
- 标准/Standard: UL4248–19 IEC60269

尺寸/Dimensions–mm



GYPV-62

GYPV–63T 50A 1500V DC (10/14X85)

光伏熔断器
Photovoltaic Fuse

- 额定电压/ Rated Voltage : 1500V.dc;
- 使用类别 /Class of Operation: gPV
- 标准/Standard: UL4248–19 IEC 60269–6

尺寸/Dimensions–mm



GYPV-63T

GYPV1451 15A–50A 1000V DC
GYPV1451 15A–32A 1500V DC

光伏熔断器
Photovoltaic Fuse

- 尺码/Fuse Size: 14 X 51mm
- 使用类别 /Class of Operation: gPV
- 标准/Standard: IEC 60269–6
- 分断能力/Breaking Capacity: 20kA
- 时间常数/Time Constant:1–3ms

尺寸/Dimensions–mm



GYPV1451

GYPV1451B 50A (14X51)

光伏熔断器
Photovoltaic Fuse

- 额定电压/ Rated Voltage : 1000V DC 1500V DC
- 使用类别 /Class of Operation: gPV
- 标准/Standard: IEC 60269

尺寸/Dimensions–mm



GYPV1451B

GYPV2258 10A–80A 1000V DC
GYPV2258 10A–80A 1500V DC

光伏熔断器
Photovoltaic Fuse

- 尺码/Fuse Size: 22 X 58mm
- 使用类别 /Class of Operation: gPV
- 标准/Standard: IEC 60269–6
- 分断能力/Breaking Capacity: 10kA
- 时间常数/Time Constant:1–3ms

尺寸/Dimensions–mm



GYPV2258

GYPV2258B 80A (22X58)

光伏熔断器
Photovoltaic Fuse

- 额定电压/ Rated Voltage : 1000V DC 1500V DC
- 使用类别 /Class of Operation: gPV
- 标准/Standard: IEC 60269

尺寸/Dimensions–mm



GYPV2258B

GYPV-H00 16–125A 1000V DC
GYPV-H1 32–200A 1000V DC
GYPV-H2 160–250A 1000V DC
GYPV-H3 250–500A 1000V DC

光伏熔断器
Photovoltaic Fuse

- 使用类别 /Class of Operation: gPV
- 标准/Standard: GB/T 13539.6 IEC 60269-6
- 分断能力/Breaking Capacity: 50kA
- 时间常数/Time Constant:1–3ms

尺寸/Dimensions–mm



GYPV-H00



GYPV-H1



GYPV-H2



GYPV-H3

GYPV-H00B 1000V DC
GYPV-H1B 1000V DC
GYPV-H2B 1000V DC
GYPV-H3B 1000V DC

光伏熔断器
Photovoltaic Fuse

- 额定电压/Rated Voltage: 1000V.dc;
- 使用类别 /Class of Operation: gPV
- 标准/Standard: GB/T 13539.6 IEC 60269-6

尺寸/Dimensions–mm







GYPV-H00B



GYPV-H1/H2/H3

产品型号 Model	配装熔断体 Applicable fuse link		额定电压 Rated voltage (V)	额定电流 Rated current (A)	外形尺寸/尺码(mm) Overall dimension/size				
					A	B	C	E	H
GYPV-H00B	H00	NH00	1000V DC	125	119	102	35	23	57
GYPV-H1B	H1	NH1	1000V DC	200	208	176	58	32	82
GYPV-H2B	H2	NH2	1000V DC	350	224	198	58	35	89
GYPV-H3B	H3	NH3	1000V DC	500	239	207	58	40	106

GYPV-H1XL 35A–200A 1500V DC
GYPV-H2XL 80A–400A 1500V DC
GYPV-H3L 125A–630A 1500V DC

光伏熔断器
Photovoltaic Fuse

- 使用类别 /Class of Operation: gPV
- 标准/Standard: GB/T 13539.6 IEC 60269–6
- 分断能力/Breaking Capacity: 50kA
- 时间常数/Time Constant:1–3ms

尺寸/Dimensions–mm



GYPV-H1XL



GYPV-H2XL



GYPV-H3L

GYPV-H1XLB 1500V DC
GYPV-H2XLB 1500V DC
GYPV-H3LB 1500V DC

光伏熔断器
Photovoltaic Fuse

- 额定电压/Rated Voltage: 1500V.dc;
- 使用类别 /Class of Operation: gPV
- 标准/Standard: GB/T 13539.6 IEC 60269–6

尺寸/Dimensions–mm



产品型号 Model	配装熔断体 Applicable fuse link	额定电压 Rated voltage (V)	额定电流 Rated current (A)	外形尺寸/尺码(mm) Overall dimension/size				
				A	B	C	E	H
GYPV-H1XLB	CFPV–H1XL	1500V DC	250	247	190	129	52	91
GYPV-H2XLB	CFPV–H2XL	1500V DC	400	278	210	135	63	104
GYPV-H3LB	CFPV–H3L	1500V DC	630	300	210	135	63	108

GY–10PVD CFPV1038D 2A–32A 1000V DC

GY–10PVS CFPV1038S 2A–32A 1000V DC

光伏熔断器
Photovoltaic Fuse

- 尺码/Fuse Size: 10 X 38mm；
- 使用类别 /Class of Operation: gPV
- 标准/Standard: GB/T 13539.6 IEC 60269–6
- 分断能力/Breaking Capacity: 20kA
- 时间常数/Time Constant:1–3ms

尺寸/Dimensions–mm



GY –10PVD



GY –10PVS

GYPV –32H 32A 1000V DC（10X38）

光伏熔断器
Photovoltaic Fuse

- 额定电压/ Rated Voltage : 1000V.dc
- 使用类别 /Class of Operation: gPV
- 标准/Standard: UL248–19 IEC 60269–6

尺寸/Dimensions–mm



GYPV-32H

GY–12PVS CFPV1085S 2A–32A 1500V DC

光伏熔断器
Photovoltaic Fuse

- 尺码/Fuse Size: 10 X 85mm；
- 使用类别 /Class of Operation: gPV
- 标准/Standard: GB/T 13539.6 IEC 60269–6
- 分断能力/Breaking Capacity: 20kA
- 时间常数/Time Constant:1–3ms

尺寸/Dimensions–mm



GY–12PVS

GYPV-63L 50A 1500V DC (10/14X85)

光伏熔断器
Photovoltaic Fuse

- 额定电压/ Rated Voltage : 1500V.dc;
- 使用类别 /Class of Operation: gPV
- 标准/Standard: UL248–19 IEC 60269–6



GYPV-63L